



GUAM SOLID WASTE AUTHORITY



LOURDES A. LEON GUERRERO
Governor of Guam

JOSHUA F. TENORIO
Lt. Governor of Guam

IRVIN L. SLIKE
General Manager

November 20, 2023

INVITATION FOR BID GSWA-004-24 COMPACT WHEEL LOADER W/ ATTACHMENTS

AMENDMENT NO. 2

1. Amend page 31 of 34

From:

Deadline for Receipt of Written Questions must be e-mailed to the Guam Solid Waste Authority at procurement@gswa.guam.gov , ATTN: General Manager	Wednesday, November 15, 2023 on or before 5:00PM Chamorro Standard Time
--	---

To Now Read:

Deadline for Receipt of Written Questions must be e-mailed to the Guam Solid Waste Authority at procurement@gswa.guam.gov , ATTN: General Manager	Tuesday, November 21, 2023 on or before 5:00PM Chamorro Standard Time
--	---

2. Amend page 31 of 34

From:

Bid Due Date & Bid Opening at the Guam Solid Waste Authority: Administration Office, GSWA Bldg., 2 nd Fl. 546 N. Marine Corps Dr., Tamuning, Guam	Wednesday, November 22, 2023 at 1:00PM Chamorro Standard Time
--	---

To Now Read:

Bid Due Date & Bid Opening at the Guam Solid Waste Authority: Administration Office, GSWA Bldg., 2 nd Fl. 546 N. Marine Corps Dr., Tamuning, Guam	Tuesday, November 28, 2023 at 1:00PM Chamorro Standard Time
--	---

3. Amend to replace pages 32 of 34 through 34 of 34 with the "Revised 11/20/2023 Page 32" through "Revised 11/20/2023 Page 34" attached.

*All others remain the same.

Irvin L. Slike,
General Manager

ACKNOWLEDGEMENT RECEIPT

Return to GSWA by email or fax.

Received By: _____

Date: _____

Company Name: _____

Fax to: 671-649-3777

Email: procurement@gswa.guam.gov



GUAM SOLID WASTE AUTHORITY

LOURDES A. LEON GUERRERO
Governor of Guam

JOSHUA F. TENORIO
Lt. Governor of Guam

IRVIN L. SLIKE
General Manager



ITEM NO.	DESCRIPTION	QTY	UOM	UNIT PRICE	PRICE EXTENSION
1.0	Compact Wheel Loader w/ Attachments	1	EA	\$ _____	\$ _____

SPECIFICATIONS:

Indicate on each line of the technical specifications whether or not each item complies with the specification or an exception is being taken. If additional space is required to fully explain bid exceptions, attach additional typed page(s) to the bid submittal indicating the section number and subsection that has the exception, and provide explanation.

COMPLY / NON-COMPLIANCE

Engine:

Gross HP at 2400 RPM: 73 HP minimum

Peak Torque at 1560 RPM: 206 foot lbs. minimum

Emissions: Compliant with EPA Final Tier 4/EU Stage V

Four cylinders

Powertrain:

Hydrostatic with infinitely variable speed control over full range of operating speeds. 2 speed ranges, joystick mounted F-N-R, acceleration pedal.

Axles: Fixed, 100% differential, manually engaged front axle, fixed conventional differential rear axle or oscillating rear axle

Max rise and fall single wheel: 15 inches maximum, 14 inch minimum

Hydraulically activated, self-adjusting internal wet disc brakes and driveline drum brake

Cooling:

Hydraulically driven, proportionally controlled fan or belt-driven fan

Articulation Angle: 30 degrees each direction

Cylinders: Heat treated chrome plated polished cylinder rods, hardened steel, replaceable bushings and pivot pins

Hydraulics:

Main pump (loader and steering): 18 GPM standard, 29 GPM with high flow option.

Quick Coupling: Conforms with ISO 16028 quick coupling for all attachments

Electrical:

Voltage: 12-volt or 24-volt electrical system

Battery: One (1) 24-volt or two (2) 12-volt

Battery capacity: One (1) 925 CCA or Two (2) 900 CCA

Cab:

Seat: Air ride high back with head rest and dual lumbar support or mechanical suspension seat

Noise: Operator ear 70 dBA, Bystander 101 dBA



GUAM SOLID WASTE AUTHORITY

LOURDES A. LEON GUERRERO
Governor of Guam

JOSHUA F. TENORIO
Lt. Governor of Guam

IRVIN L. SLIKE
General Manager



COMPLY / NON-COMPLIANCE

Air conditioning

Steering: Dual tilt and telescoping steering column

Performance: Conforms with SAE J1040, SAE J231, ISO 3471 and ISO 3449 ROPS/FOPS

Operating Weight:

ISO quick coupler and 1CY general purpose bucket / bolt on edge 12,250 lbs. minimum

1.4 CY multi-purpose bucket: 12,800 lbs. maximum

Wheelbase: 7 feet minimum

Dump clearance: 40-degree full height – 8 feet 3 inches

Reach: 40-degree full height – 32 inches

Fork height fully raised: 10 feet minimum

Fork tipping load straight: 7000 lb. maximum

Attachments:

ISO quick coupling mechanism: Conforms with ISO 16028

One (1) additional 1.4 CY bucket with bolt on edge

One (1) Tink claw bucket model 520 or equal

One (1) 60-inch pick-up broom: 800 lb. minimum; 900 lb. max

One (1) Fork: 48 inches minimum

Equipment Warranty:

The Bidder guarantees to the Purchaser that the equipment, upon delivery, will be brand new and will have been constructed using entirely new components. Furthermore, the Bidder assures that any new equipment provided shall be free from any defects in manufacturing workmanship and materials for a duration of 24 months or 2,000 hours, whichever occurs first, commencing from the date of equipment delivery. This warranty encompasses any necessary repairs or replacements without any additional cost to the Purchaser.

Miscellaneous Items:

One (1) operator’s manual hardcopy

One (1) operator’s manual on CD

One (1) complete illustrated parts book

One (1) shop repair manual

One (1) warranty manual

Manufacturer’s training of GSWA crew (8 hours) & contracted mechanics (20 hours)

Online manual for parts, service & repair



GUAM SOLID WASTE AUTHORITY

LOURDES A. LEON GUERRERO
Governor of Guam

JOSHUA F. TENORIO
Lt. Governor of Guam

IRVIN L. SLIKE
General Manager



Delivered with a full tank of fuel _____

Note: The GSA Federal Contract will be considered along with its terms and conditions if offered.

Bidding On:

Manufacturer: _____

Year: _____

Model: _____

Place of Origin: _____

Date of Delivery: _____