



GUAM POWER AUTHORITY

ATURIDÂT ILEKTRESEDÂT GUÅHAN
P.O.BOX 2977 • HAGÂTÑA, GUAM U.S.A. 96932-2977

March 31, 2025

AMENDMENT NO.: II

TO

INVITATION FOR BID NO.: GPA-036-25

FOR

VARIOUS INSULATORS

Prospective Bidders are hereby notified of the following changes, inclusion and responses to inquiries received from Bidder No. 1 dated March 24, 2025 and Bidder No. 3 dated March 25, 2025:

CHANGES:

1. **REMOVE** Page 4 of 55 and **REPLACE** with 4a of 55 (see attached):

Under INVITATION FOR BID, DESCRIPTION, As per GPA Specification is changed:

FROM:
E-021

TO NOW READ:
* E-008, Revision 4

2. **REMOVE** Page 7 of 55 and **REPLACE** with 7a of 55 (see attached):

Under INVITATION FOR BID, DESCRIPTION, As per GPA Specification is changed:

FROM:
E-008, Revision 3

TO NOW READ:
* E-008, Revision 4

3. **REMOVE** Pages 18 thru 27 of 55 and **REPLACE** with Pages 18a thru 27a, 27a.1, 27a.2, 27a.3, 27a.4 and 27a.5 of 55 (see attached):

GUAM POWER AUTHORITY SPECIFICATION No. E-008 is changed:

FROM:
Revision 3

TO NOW READ:
* Revision 4

INCLUSION:

REMOVE Page 5 of 55 and **REPLACE** with Page 5a of 55 (see attached):

Under INVITATION FOR BID, DESCRIPTION, to include the following:

* As per GPA Specification E-008, Revision 4


Bidder No. 1 dated 03/24/2025:


QUESTION:

1. We received a question from one of the suppliers for this bid. Please provide clarification:

There are 4 items in this tender, No.1, No.3 and No.4 before we produced them.

So we are checking how to design No.2 , it says the Index SSO10777 but from detail specification, we only find the item SSO 10776.
Could you help to review they are looking for SSO10776 and we can use silicone rubber to produce it?

 GUAM POWER AUTHORITY AGANA, GUAM	SPECIFICATION NO. <u>E-008</u>	PAGE <u>4</u> OF <u>9</u>
		REV. <u>3</u> 11/21/91
PREPARED BY ENGINEERING DEPARTMENT		



DEADEND INSULATOR
INDEX NO. SSO10776

0.0. DEADEND INSULATOR

- The insulator shall be made with polymer EPDM.
- The end fittings shall be made of forged steel hot dip galvanized for rugged dependability and strength.
- The chemical bond between rod and weatherheads shall be developed under heat and pressure to give superior dielectric integrity.
- The insulator shall have a solid 5/8 inch epoxy fiberglass rod with a 100,000 psi tensile strength.
- The surface area shall be of controlled weathering to produce a self-cleaning action to reduce surface contamination and avoid tracking.

1. Kv Rating Phase To Phase	15	6. 60 Hz Flashover Wet-Kv	65
2. Ultimate Tensile Strength Lbs.	15,000	7. Impulse Flashover Pos.-Kv	140
3. Maximum Design Load Lbs.	7500	8. Impulse Flashover Neg.-Kv	175
4. Leakage Distance-Inch.	16.5		
5. 60 Hz Flashover Dry-Kv	95		

ANSWER:

Refer to the *CHANGES* and *INCLUSION* above.

Bidder No. 3 dated March 25, 2025:

QUESTION:

1. I'd like to request for a change of delivery requirement from 18 weeks ARO to the following:

Item 1.0 – 26 weeks ARO

Item 2.0 – 56 weeks ARO

Item 3.0 – 22 weeks ARO



Item 4.0 – 26 weeks ARO

Attached are the lead times (highlighted for your reference) provided by the manufacturer ex-factory. Plus, inland freight of about 2 weeks, 3 weeks ocean freight and 1 week Guam delivery coordination.

ANSWER:

The Authority stands firm with the delivery requirement set forth of this tender.

All other Terms and Conditions in the bid package shall remain unchanged and in full force.


JOHN M. BENAVENTE, P.E.
General Manager 



GUAM POWER AUTHORITY

ATURIDĀT ILEKTRESEDĀT GUĀHAN
P.O.BOX 2977 • HAGĀTŊA, GUAM U.S.A. 96932-2977

March 28, 2025

AMENDMENT NO.: I
TO
INVITATION FOR BID NO.: GPA-036-25
FOR
VARIOUS INSULATORS

Prospective Bidders are hereby notified of the following:

CHANGES:

- * 1. Bid Opening is changed **FROM** 10:00 A.M., Wednesday, April 2, 2025 (CHamoru Standard Time) **TO NOW READ** 3:00 P.M., Thursday, April 10, 2025 (CHamoru Standard Time).
- 2. **REMOVE** Page 3 of 55 and **REPLACE** with 3a of 55 (see attached):

Under **INVITATION FOR BID, INSTRUCTION TO BIDDERS**, Paragraph one has changed:



FROM:

This bid shall be submitted in one (1) original. two (2) copies and sealed to the issuing office above no later than **(Time) 10:00 A.M., (Guam CHamoru Standard Time; ChST)**
Date: April 2, 2025 and shall be publicly opened. Bid submitted after the time and date specified above shall be rejected. See attached General Terms and Conditions and Sealed Bid Solicitation for details.

TO NOW READ:

- * This bid shall be submitted in one (1) original. two (2) copies and sealed to the issuing office above no later than **(Time) 3:00 P.M., (Guam CHamoru Standard Time; ChST)**
Date: April 10, 2025 and shall be publicly opened. Bid submitted after the time and date specified above shall be rejected. See attached General Terms and Conditions and Sealed Bid Solicitation for details.

All other Terms and Conditions in the bid package shall remain unchanged and in full force.



JOHN M. BENAVENTE, P.E.
General Manager 

INVITATION FOR BID

ISSUING OFFICE:

Guam Power Authority-Procurement Office
1st. Floor, Room 101
Gloria B. Nelson Public Service Building
688 Route 15
Mangilao, Guam 96913

Attn: JOHN M. BENAVENTE, P.E.
General Manager
c/o JAMIE LYNN C. PANGELINAN
Supply Management Administrator

 3/10/2025
JOHN M. BENAVENTE, P.E. DATE
General Manager 

DATE ISSUED: 03/25/2025 BID INVITATION NO.: GPA-036-25

BID FOR: VARIOUS INSULATORS

SPECIFICATION: SEE ATTACHED

DESTINATION: GUAM POWER AUTHORITY, DEDEDO WAREHOUSE

REQUIRED DELIVERY TIME: 18 WEEKS AFTER RECEIPT OF ORDER (ARO)

INSTRUCTIONS TO BIDDERS:

INDICATE WHETHER:

INDIVIDUAL	PARTNERSHIP	CORPORATION
------------	-------------	-------------

INCORPORATED IN:

This bid shall be submitted in one (1) original, two (2) copies and sealed to the issuing office above no later than **(Time)** 10:00 A.M., **(Guam CHamoru Standard Time; ChST)**, **Date:** April 2, 2025 and shall be publicly opened. Bid submitted after the time and date specified above shall be rejected. See attached General Terms and Conditions and Sealed Bid Solicitation for details.

The undersigned offers and agrees to furnish within the time specified, the articles and services at the price stated opposite the respective items listed on the schedule provided, unless otherwise specified by the bidder. In consideration to the expense of the Government in opening, tabulating, and evaluating this and other bids, and other considerations, the undersigned agrees that this bid remain firm and irrevocable within one hundred twenty (120) calendar days from the date opening to supply any or all of the items which prices are quoted.

NAME AND ADDRESS OF BIDDER:

SIGNATURE AND TITLE OF PERSON
AUTHORIZED TO SIGN THIS BID:

AWARD: CONTRACT NO.: AMOUNT: DATE:

ITEM NO(S). AWARDED:

CONTRACTING OFFICER:

JOHN M. BENAVENTE, P.E. DATE
General Manager

NAME AND ADDRESS OF CONTRACTOR:

SIGNATURE AND TITLE OF PERSON