



# GUAM POWER AUTHORITY

ATURIDĀT ILEKTRESEDĀT GUAHAN  
P.O.BOX 2977 • HAGĀTÑA, GUAM U.S.A. 96932-2977

September 03, 2025

## AMENDMENT NO.: I

TO

INVITATION FOR BID NO.: GPA-075-25

FOR

**\* New 2026, 2-Door, 1-Ton Dually Heavy-Duty Stake Bed Truck**

Prospective Bidders are hereby notified of the following changes, responses to an inquiry received from Bidder No. 2 dated August 27, 2025:

### CHANGES:

1. **REMOVE** Page 2 of 35 and **REPLACE** with Page 2a of 35 (see attached)

Under Invitation for Bid, **DESCRIPTION** has changed

**FROM:**

DESCRIPTION: New Current 2026, 2-Door, 1-Ton Dually Heavy-Duty Stake Bed Truck

**\* TO NOW READ:**

DESCRIPTION: New 2026, 2-Door, 1-Ton Dually Heavy-Duty Stake Bed Truck

2. **REMOVE** Page 3 of 35 and **REPLACE** with Page 3a of 35 (see attached)

Under Invitation for Bid, **BID FOR**, has changed

**FROM:**

BID FOR: New Current 2026, 2-Door, 1-Ton Dually Heavy-Duty Stake Bed Truck

**\* TO NOW READ:**

BID FOR: New 2026, 2-Door, 1-Ton Dually Heavy-Duty Stake Bed Truck

3. **REMOVE** Page 4 of 35 and **REPLACE** with Page 4a of 35 (see attached)

A. Under Invitation for Bid, **DESCRIPTION**, has changed

**FROM:**

New Current 2026, 2-Door, 1-Ton Dually Heavy-Duty Stake Bed Truck

**\* TO NOW READ:**

New 2026, 2-Door, 1-Ton Dually Heavy-Duty Stake Bed Truck

B. Under Invitation for Bid, **SPECIFICATIONS, A. BODY, A.13 thru A.24**, has changed

**FROM:**

- A.13 Tommy Lift Gate with 1,600 pounds Capacity (minimum)
- A.14 Regular Cab 130.5 inch wheelbase (minimum)
- A.15 Side Step Bar on Driver and Passenger Side (minimum)
- A.16 Rubber Floor Mats for interior of Cab (minimum)
- A.17 Max Towing Package. Combination Hitch - Pintle Hook with 2-inch (minimum) Ball installed
- A.18 Provide two (2) front tow hooks installed
- A.19 Rust proof coating within bed area with a 5-year warranty minimum prior to delivery
- A.20 Rust proof coating under whole body chassis with a 5-year warranty minimum prior to Delivery
- A.21 Left hand drive
- A.22 Left and right outside rear-view mirror with convex
- A.23 Sun visors mounted inside cab, right and left
- A.24 Electric windshield wipers

**\* TO NOW READ:**

- \* A.13 The Stake Truck Bed materials shall be steel (minimum)
- \* A.14 Tommy Lift Gate with 1,600 pounds Capacity (minimum)
- \* A.15 Regular Cab 130.5 inch wheelbase (minimum)
- \* A.16 Side Step Bar on Driver and Passenger Side (minimum)
- \* A.17 Rubber Floor Mats for interior of Cab (minimum)
- \* A.18 Max Towing Package. Combination Hitch - Pintle Hook with 2-inch (minimum) Ball installed
- \* A.19 Provide two (2) front tow hooks installed
- \* A.20 Rust proof coating within bed area with a 5-year warranty minimum prior to delivery
- \* A.21 Rust proof coating under whole body chassis with a 5-year warranty minimum prior to Delivery
- \* A.22 Left hand drive
- \* A.23 Left and right outside rear-view mirror with convex
- \* A.24 Sun visors mounted inside cab, right and left
- \* A.25 Electric windshield wipers

**RESPONSE:**

**Bidder No.: 2 dated 08/27/2025:**

**QUESTION:**

1. The spec requires aluminum stake sides, but does not indicate what the actual deck/bed materials should be made of. Does the flatbed/deck of the truck need to be made of steel or aluminum?

**ANSWER:**

Refer to **CHANGES 3** above.

**QUESTION:**



2. Will GPA accept a NEW 2024 unit with a shorter lead time, or does the unit have to be manufactured in 2025/2026 thus extending lead time?

**ANSWER:**

Refer to **CHANGES 1 and 2** above.

GPA stands firm with a New 2026, 2-Door, 1-Ton Dually Heavy-Duty Stake Bed Truck.  
Must meet or exceed the following specifications in accordance with U.S. Department of Transportation requirements.

All other Terms and Conditions in the bid package shall remain unchanged and in full force.

  
JOHN M. BENAVENTE, P.E.  
General Manager 



Frances E. Santos  
Chairman



JOHN M. BENAVENTE, P.E.  
General Manager

Telephone Nos. (671) 648-3045/55 or Facsimile (671) 648-3165

Accountability	Impartiality	Competence	Openness	Value
INVITATION FOR BID (IFB) NO.: GPA-075-25				
* DESCRIPTION: New 2026, 2-Door, 1-Ton Dually Heavy-Duty Stake Bed Truck				

SPECIAL REMINDERS TO PROSPECTIVE BIDDERS

Bidders are reminded to read the Sealed Bid Solicitation and Instructions, and General Terms and Conditions attached to the IFB to ascertain that all of the following requirements checked below are submitted in the bid envelope, **one (1) original, two (2) copies**, at the date and time for bid opening. All sealed proposal submissions must be hand delivered, delivered by mail, or delivered by other courier service to:

ISSUING OFFICE:

Guam Power Authority-Procurement Office  
1<sup>st</sup>. Floor, Room 101  
Gloria B. Nelson Public Service Building  
688 Route 15  
Mangilao, Guam 96913

- (XX) BID GUARANTEE – (15%) May be in the form of;  
Reference #11 on the General Terms and Conditions
- a.

Cashier’s Check or Certified Check (**NOTE: Cashier’s Check or Certified Check Refunds will be ONLY be made out to the name of the Bidder.**)
- b.

Letter of Credit or
- c.

Bid Bond – Valid only if accompanied by:

1.

Current Certificate of Authority issued by the Insurance Commissioner; or

2.

Power of Attorney issued by the Surety to the Resident General Agent or the following:

a.

Current Sworn Annual Report (Limited Liability Company (LLC) and/or Corporation) or;

b.

Current Renewal of Annual Limited Liability Partnership (LLP); or

3.

Power of Attorney issued by two (2) major officers of the Surety to whomever is signing on their behalf.
- ( )

STATEMENT OF QUALIFICATION;

( )

SAMPLES;

(XX)

BROCHURES/DESCRIPTIVE LITERATURE; (Shall provide detailed literature on items offered)

(XX)

OWNERSHIP AND INTEREST DISCLOSURE AFFIDAVIT; **Pursuant to Public Law 36-13; 5 GCA §5233(a)**

(XX)

NON-COLLUSION AFFIDAVIT;

(XX)

NO GRATUITIES OR KICKBACKS AFFIDAVIT;

(XX)

ETHICAL STANDARDS AFFIDAVIT;

(XX)

WAGE DETERMINATION AFFIDAVIT;

(XX)

RESTRICTIONS AGAINST SEX OFFENDERS AFFIDAVIT

(XX)

CONTINGENT FEES AFFIDAVIT;
- Note: The above Affidavits must comply with the following requirements:

a.

The affidavit must be signed within 60 days on or before the date the bid is due;

b.


Date of signature of the person authorized to sign the bid and the notary date must be the same.

c.


First time affidavit **must** be an **original** – If copy, indicate Bid Number/Agency where original can be obtained.
- (XX) OTHER REQUIREMENTS:  
**A Guam Business License and/or Contractor’s License with proof of Employer Identification Number (EIN) is not required in order to provide a proposal for this engagement, but is a pre-condition for entering into a contract with the Authority.**
- This page must be signed and returned in the bid envelope together with the bid. Failure to comply with the above requirements will mean a disqualification and rejection of the bid.
- On this \_\_\_\_\_ day of \_\_\_\_\_, 2025, I, \_\_\_\_\_, authorized representative of \_\_\_\_\_ acknowledge receipt of this special reminder to prospective bidders with the above referenced IFB.
- Bidder Representative’s Signature

**ISSUING OFFICE:**  
Guam Power Authority-Procurement Office  
1<sup>st</sup>. Floor, Room 101  
Gloria B. Nelson Public Service Building  
688 Route 15  
Mangilao, Guam 96913

**Attn:** JOHN M. BENAVENTE, P.E.  
General Manager  
c/o JAMIE LYNN C. PANGELINAN  
Supply Management Administrator



9 / 4 / 2025



**JOHN M. BENAVENTE, P.E.**    **DATE**  
**General Manager**

DATE ISSUED:

08/26/2025  
09/02/2025

BID INVITATION NO.:

GPA-075-25

\* BID FOR:

New 2026, 2-Door, 1-Ton Dually Heavy-Duty Stake Bed Truck

SPECIFICATION:

SEE ATTACHED

DESTINATION:

Guam Power Authority, Transportation Compound

REQUIRED DELIVERY TIME:

120 Days After Receipt of Order (ARO)

**INSTRUCTIONS TO BIDDERS:**  
INDICATE WHETHER:    ☐ INDIVIDUAL    ☐ PARTNERSHIP    ☐ CORPORATION

INCORPORATED IN:    \_\_\_\_\_

This bid shall be submitted in one (1) original, two (2) copies and sealed to the issuing office above no later than **(Time)** 9:00 A.M., **(Guam CHamoru Standard Time; ChST), Date: September 10, 2025** and shall be publicly opened. Bid submitted after the time and date specified above shall be rejected. See attached General Terms and Conditions and Sealed Bid Solicitation for details.

The undersigned offers and agrees to furnish within the time specified, the articles and services at the price stated opposite the respective items listed on the schedule provided, unless otherwise specified by the bidder. In consideration to the expense of the Government in opening, tabulating, and evaluating this and other bids, and other considerations, the undersigned agrees that this bid remain firm and irrevocable within one hundred twenty (120) calendar days from the date opening to supply any or all of the items which prices are quoted.

NAME AND ADDRESS OF BIDDER:

SIGNATURE AND TITLE OF PERSON  
AUTHORIZED TO SIGN THIS BID:

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

The above must be signed and returned in the bid envelope together with bid. Failure to comply will mean a disqualification and rejection of the bid.

AWARD: CONTRACT NO.:

AMOUNT:

DATE:

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

ITEM NO(S). AWARDED:

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

CONTRACTING OFFICER:

JOHN M. BENAVENTE,  
P.E. General Manager

DATE

To be completed pre-award:

SIGNATURE AND TITLE OF PERSON

NAME AND ADDRESS OF CONTRACTOR:

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

INVITATION FOR BID NO.: GPA-075-25  
Requisition No.: 40239

NO.	DESCRIPTION	QTY.	U/I	UNIT PRICE:	TOTAL PRICE:
-----	-------------	------	-----	-------------	--------------

* 1.0	New 2026, 2-Door, 1-Ton Dually Heavy-Duty Stake Bed Truck. Must meet or exceed the following specifications in accordance with U.S. Department of Transportation requirements.	3	EA.	\$ _____	\$ _____
-------	--	---	-----	----------	----------

COMPLY

NOT COMPLY

Comply must be identified below.  
All deviations must be identified below.

SPECIFICATIONS:

A.	BODY:		
A.1	Amber Beacon Light Bar – 12 inches (minimum)	_____	_____
A.2	Air Conditioning System	_____	_____
A.3	AM/FM radio (minimum)	_____	_____
A.4	Heavy duty vinyl upholstery (minimum)	_____	_____
A.5	Bench Seat, requires safety belts for three (3) passengers	_____	_____
A.6	Back-Up Alarm (audible alarm when vehicle in reverse)	_____	_____
A.7	Interior Back-Up Camera	_____	_____
A.8	Full Side Aluminum Railings around Flatbed	_____	_____
A.9	Aluminum Railings must be removable and can secure for highway travel	_____	_____
A.10	Aluminum Stake Side Set 40 inches Height (minimum)	_____	_____
A.11	Flatbed box front to rear 168 inches (minimum)	_____	_____
A.12	Flatbed box Width 96 inches (minimum)	_____	_____
* A.13	The Stake Truck Bed materials shall be steel (minimum)	_____	_____
* A.14	Tommy Lift Gate with 1,600 pounds Capacity (minimum)	_____	_____
* A.15	Regular Cab 130.5 inch wheelbase (minimum)	_____	_____
* A.16	Side Step Bar on Driver and Passenger Side (minimum)	_____	_____
* A.17	Rubber Floor Mats for interior of Cab (minimum)	_____	_____
* A.18	Max Towing Package. Combination Hitch - Pintle Hook with 2-inch (minimum) Ball installed	_____	_____
* A.19	Provide two (2) front tow hooks installed	_____	_____
* A.20	Rust proof coating within bed area with a 5-year warranty minimum prior to delivery	_____	_____
* A.21	Rust proof coating under whole body chassis with a 5-year warranty minimum prior to Delivery	_____	_____
* A.22	Left hand drive	_____	_____
* A.23	Left and right outside rear-view mirror with convex	_____	_____
* A.24	Sun visors mounted inside cab, right and left	_____	_____
* A.25	Electric windshield wipers	_____	_____
B.	ENGINE/DRIVE TRAIN:		
B.1	Diesel 270 Horsepower (Air After Cooled) (minimum)	_____	_____
B.2	12 Volt Battery	_____	_____
B.3	Heavy Duty Radiator	_____	_____
B.4	Exhaust Horizontal: Single (minimum)	_____	_____
B.5	Steering: Power	_____	_____
B.6	416 foot-pounds - torque (minimum)	_____	_____
B.7	Fuel Type - Diesel Ultra Low Sulfur	_____	_____
B.8	Heavy Duty 6-Speed Automatic transmission (minimum)	_____	_____
B.9	4 Wheel Drive Heavy Duty Drive System	_____	_____
B.10	Heavy Duty Rear Differential with limited slip	_____	_____

Specifications Generated By:  

Franklin Taitague9/2/2025

FRANKLIN F. TAITAGUEDateHeavy Equipment Mechanic Supervisor

Specifications Reviewed/Concurred By:  

Franklin Taitague9/2/2025

JOHN R. MANIBUSANDateFleet Support Services Manager

Specifications Approved By:  

Jennifer G. Sablan9/3/2025

JENNIFER G. SABLAN, P.E.DateAssistant General Manager of Operations