



GUAM POWER AUTHORITY

ATURIDĀT ILEKTRESEDĀT GUAHAN
P.O.BOX 2977 • HAGĀTÑA, GUAM U.S.A. 96932-2977

October 02, 2025

AMENDMENT NO.: V

TO

INVITATION FOR BID NO.: GPA-075-25

FOR

New 2026, 2-Door, Dually Heavy-Duty Stake Bed Truck

Prospective Bidders are hereby notified of the following change, response to an inquiry received from Bidder No. 2 dated September 25, 2025:

CHANGES:

1. Bid Opening Date is changed **FROM** 9:00 A.M., Thursday, October 02, 2025 (CHamoru Standard Time) **TO NOW READ** 9:00 A.M., Thursday, October 16, 2025 (CHamoru Standard Time).
2. **REMOVE** Page 3d of 34 and **REPLACE** with Page 3e of 34 (see attached)

Under Invitation for Bid, Instruction to Bidders, Paragraph one has changed

FROM:

This bid shall be submitted in one (1) original, two (2) copies and sealed to the issuing office above no later than **(Time) 9:00 A.M., (Guam CHamoru Standard Time; ChST), Date: October 02, 2025** and shall be publicly opened. Bid submitted after the time and date specified above shall be rejected. See attached General Terms and Conditions and Sealed Bid Solicitation for details.

*** TO NOW READ:**

This bid shall be submitted in one (1) original, two (2) copies and sealed to the issuing office above no later than **(Time) 9:00 A.M., (Guam CHamoru Standard Time; ChST), Date: October 16, 2025** and shall be publicly opened. Bid submitted after the time and date specified above shall be rejected. See attached General Terms and Conditions and Sealed Bid Solicitation for details.

3. **REMOVE** Page 5 of 34 and **REPLACE** with Page 5a of 34 (see attached)

Under Invitation for Bid, **D. BRAKES, D.1**, has changed

FROM:

D.1 Front Disc Brakes

*** TO NOW READ:**

D.1 Front Disc or Drum Brakes (minimum)

INCLUSION:

- * 1. Page 3e of 35 Under **INVITATION TO BID** – CUT OFF DATE FOR RECEIPT OF QUESTIONS AND CLARIFICATIONS (see attached)

RESPONSE:

Bidder No.: 2 dated 09/25/2025:

QUESTION:

1. Will drum brakes be acceptable?

ANSWER:

Refer to **CHANGE 3** above.

QUESTION:

2. If disc brakes are required as per the spec, then you will need to change the specs from spring suspension to air ride suspension.

ANSWER:

GPA stands firm with C.6 Rear Axle and Suspension - Single Axle 21,000 pounds capacity, Single Reduction Auxiliary, Spring 23,000 pounds capacity (minimum).

All other Terms and Conditions in the bid package shall remain unchanged and in full force.



JOHN M. BENAVENTE, P.E.
General Manager

INVITATION FOR BID

ISSUING OFFICE:
Guam Power Authority-Procurement Office
1st. Floor, Room 101
Gloria B. Nelson Public Service Building
688 Route 15
Mangilao, Guam 96913

Attn: JOHN M. BENAVENTE, P.E.
General Manager
c/o JAMIE LYNN C. PANGELINAN
Supply Management Administrator



10/2/2025



JOHN M. BENAVENTE, P.E. **DATE**
General Manager

	08/26/2025	
DATE ISSUED:	09/02/2025	BID INVITATION NO.: GPA-075-25
BID FOR:	New 2026, 2-Door, Dually Heavy-Duty Stake Bed Truck	
SPECIFICATION:	SEE ATTACHED	
DESTINATION:	Guam Power Authority, Transportation Compound	
REQUIRED DELIVERY TIME: 180 Days After Receipt of Order (ARO)		
* CUT-OFF DATE FOR RECEIPT OF QUESTIONS AND CLARIFICATIONS: 5:00 P.M., Close of Business (COB), October 03, 2025		

INSTRUCTIONS TO BIDDERS:

INDICATE WHETHER: INDIVIDUAL PARTNERSHIP CORPORATION

INCORPORATED IN:

* This bid shall be submitted in one (1) original, two (2) copies and sealed to the issuing office above no later than **(Time) 09:00 A.M.** , **(Guam CHamoru Standard Time; ChST)**, **Date: October 16, 2025** and shall be publicly opened. Bid submitted after the time and date specified above shall be rejected. See attached General Terms and Conditions and Sealed Bid Solicitation for details.

The undersigned offers and agrees to furnish within the time specified, the articles and services at the price stated opposite the respective items listed on the schedule provided, unless otherwise specified by the bidder. In consideration to the expense of the Government in opening, tabulating, and evaluating this and other bids, and other considerations, the undersigned agrees that this bid remain firm and irrevocable within one hundred twenty (120) calendar days from the date opening to supply any or all of the items which prices are quoted.

NAME AND ADDRESS OF BIDDER:	SIGNATURE AND TITLE OF PERSON AUTHORIZED TO SIGN THIS BID:
The above must be signed and returned in the bid envelope together with bid. Failure to comply will mean a disqualification and rejection of the bid.	

AWARD: CONTRACT NO.:	AMOUNT:	DATE:
ITEM NO(S). AWARDED:		

CONTRACTING OFFICER:

JOHN M. BENAVENTE,
P.E. General Manager

DATE

To be completed pre-award:	SIGNATURE AND TITLE OF PERSON
NAME AND ADDRESS OF CONTRACTOR:	

INVITATION FOR BID NO.: GPA-075-25
Requisition No.: 40239

NO.	DESCRIPTION		
		COMPLY	NOT COMPLY
		Comply must be identified below. All deviations must be identified below.	
C.	CHASSIS:		
	C.1 Max Payload Capacity 7,500 pounds (minimum)		
	C.2 Max Available Gross Vehicle Weight Rating (GVWR) 10,500 pounds minimum		
	C.3 Max Available Gross Combination Weight Rating (GCWR) 28,000 pounds minimum		
	C.4 Max Towing Capacity 37,000 pounds minimum		
	C.5 Front Axle and Suspension - Axle 9,000 pounds capacity (minimum)		
	C.6 Rear Axle and Suspension – Single Axle 21,000 pounds capacity, Single reduction auxiliary, Spring 23,000 pounds capacity (minimum)		
	C.7 Fuel Tanks 40 gallons capacity (minimum), fuel and water separator.		
D.	BRAKES:		
	* D.1 Front Disc or Drum Brakes (minimum)		
	D.2 Rear Drum Brakes (minimum)		
	D.3 Four (4) Wheel power-assisted anti-lock brake system (ABS) (minimum)		
	D.4 Trailer Brake Control provisional		
E.	TIRES:		
	E.1 All terrain or tires with an aggressive tread pattern and stronger sidewall minimum Reference Tire Types:		
	E.1.2 Good Year - Wrangler AT		
	E.1.3 Kelly - Safair AT4		
	E.1.4 OMNI - Renegade AT5		
	E.1.5 Kumho - Road Venture AT51		
	E.1.6 Yokohama - GEolunder G016		
	E.1.7 General - Grabber ATX		
	E.1.8 NEXEA - Roadian ATC		
	E.2 Wheels and Tires: Front and Rear Wheels 19" (minimum)		
	E.3 Full size spare tire 19" (minimum) mounted under vehicle bed		
	E.3 Provide jack with handle and lug wrench.		
	E.4 2 Pairs of heavy-duty rubber wheel chock blocks (front and back), non-slip base with nylon rope.		

Specifications Generated By:

Franklin Taitague

10/1/2025

FRANKLIN F. TAITAGUE Date
Heavy Equipment Mechanic Supervisor

Specifications Reviewed/Concurred By:

John Manibusan

10/1/2025

JOHN R. MANIBUSAN Date
Fleet Support Services Manager

Specifications Approved By:

JG Sablan

10/2/2025

JENNIFER G. SABLAN, P.E. Date
Assistant General Manager of Operations